



HUMUS livestock trailers

Some of your problems that HUMUS livestock trailer will solve:

Problems

Animals don't like to go on to the trailer because of the ramps.

Animals are falling during the transport because the floor is slippery and they don't have anywhere to lean on.

Working with the trailer is dangerous because closing of the gates is complicated and time consuming and in the same time animals are pressing out of the trailer.

Solution with HUMUS livestock trailer

Animals enjoy going on to the trailer that is lowered to the ground. ©

Non-slippery floor coating, floor ribs and high wheel covers help animals to stand and reduce their risk of falling or hurting themselves.

The middle and back gate are closable with one movement. So you can easily close the gates after animals have boarded the trailer and they can't press out of the trailer. ©

NB! Solutions may be optional equipment and extra charges may apply.



Humus 8L

Technical specification and equipment

	HUMUS 6L	HUMUS 8L
Length (mm)	7915	9930
Width (mm)	2550	2550
Height (mm)	2675	2825
Internal size of the load area (mm)	6000/2400/2100	8000/2400/2100
Side wall plywood (mm)	15	15
Unladen weight (kg)	2400	3500
Maximum load capacity (kg)	5900	8500
Technical total weight (kg)	8300	12000
Maximum speed (km/h)	40	40
Coupling device (bolt-on, mm)	40/50/K80	40/50/K80
Middle gate	Standard	Standard
Tent cover	Standard	Standard
Rear fences for catching	Standard	Standard
Standard wheels	400/60-15,5	400/60-15,5
Hydraulic brakes	Standard	Standard
Hydraulic suspension	Standard	Standard
Mud-wings	Standard	Standard
Jack stand	Standard	Standard
Additional catching fences	Optional	Optional
Service side door in front (right)	Optional	Optional
Non-slippery floor coating	Optional	Optional
Crank jack stand	Optional	Optional
Hydraulic jack stand	Optional	Optional
LED rear lights	Optional	Optional
Working lights	Optional	Optional
Air brakes	Optional	Optional
Feeding unit	Optional	Optional
Animal service unit (care box)	Optional	Optional
Scale solution for care box	Optional	Optional

If you have further questions please contact your dealer or visit our web-page www.humus.ee/en

Dealer:





With Humus livestock trailer you have the possibility to assemble mobile workplace that enables you to give veterinary procedures, give maintenance and weigh the animal.

Carefully designed solutions bring you safer livestock transport and happier employees who also feel safer.

Humus livestock trailer is hydraulically lowerable which makes it safer, easier and more enjoyable for you to get the animals on and off of the trailer. Think of the reduced stress levels when you compare it to getting animals up the ramp.

The trailer has floor ribs, high wheel covers and it's possible to cover the floor with permanent non-slippery coating. These solutions help animals to stand and reduce their risk of falling or hurting themselves.

The middle gate is adjustable so dividing the areas into different sizes is made easy. You can separate for example older and younger animals or make transport with half-empty trailer.

You don't want to be in the way of a 700 kilo cow or would you? So the middle and back gate are closable with one movement. You can easily close the gates after animals have boarded the trailer and this way they can't press out of the trailer anymore.

Opening of the middle and back gate is also done with one movement. With the help of a rope you can do it even remotely.

Faster and more convenient internal washing is possible thanks to the space left between the side and the floor. This way dirt runs off faster while washing the interior.

Wide-ranging optional equipment helps you to create a livestock trailer that really helps you with your work. For example, adding the service unit makes it possible to maintenance your livestock right in the pasture.

In the end you'll have a mobile workplace that enables you to work with your livestock where ever the workday takes you.

Take a look: www.humus.ee/en